

Expert's guide for "Advacheck.Expert" system

User guide update 15.01.2025

Content

1. Introduction.....	4
1.1. Terms and definitions.....	4
1.2. Purpose and conditions of use.....	5
2. Preparation for the start.....	6
2.1. Workplace.....	6
2.2. Log in and log out from the system.....	6
2.3. Role change.....	7
3. Profile.....	8
4. Customer Care Service.....	8
5. Adding a website.....	9
6. Workspace.....	10
6.1. Document upload.....	11
6.2. Document check.....	13
6.3. Text check.....	14
6.4. Document recheck.....	15
6.5. Viewing and editing document information.....	16
6.6. Automatic extraction of author's name.....	18
6.7. Manual adding the name of the document's author.....	19
6.8. Moving a document.....	19
6.9. Document search.....	20
6.10. Document deletion.....	20
6.11. Reports' history viewing.....	21
6.12. Adding documents to company's collection.....	22
7. The report on the text reuse check result.....	23
7.1. Full report.....	23
7.1.1. Viewing the report.....	24
7.1.2. Viewing information about the source.....	25
7.1.3. External link to the source.....	26
7.1.4. Viewing the source report.....	27
7.1.5. Viewing report history.....	28
7.1.6. Editing of the text blocks.....	30
7.1.7. Comments to the report.....	32
7.1.7.1. Adding a comment.....	32
7.1.7.2. Actions with comments.....	33
7.1.7.3. View all comments.....	33
7.1.7.4. Access by a direct link.....	34
7.1.8. Editing of the sources' list.....	34
7.1.8.1. Changing of source type.....	35
7.1.8.2. Source exclusion.....	36
7.1.8.3. Source recovery.....	38
7.1.9. Editing text similar blocks.....	40
7.2. Brief report.....	41
7.3. Report with formatting.....	43
7.4. Document Structure.....	44
7.4.1. Adding a section.....	46
7.4.2. Changing the section borders.....	47
7.4.3. Deleting a section.....	47

7.4.4. Saving changes and refreshing check results.....	47
7.5. Suspicious document.....	47
7.6. Downloading the report.....	52
7.7. Direct link to report from "See results" page.....	52
8. Contact information.....	53

1. Introduction

This manual is intended to familiarize you with the means of work in the "Advacheck" .

The manual contains information about the purpose, capabilities, features of the system, as well as a description of the actions that provide check of text documents for the detecting reuse.

1.1. Terms and definitions

Term	Definition
System "Advacheck" (service)	Online tool for working with text documents with user interface on the web-site.
Text similarity	A fragment of the document text that contains the text or a fragment of the source text and is not formatted in accordance with quotation rules
Text recycling	A fragment of the document text that contains the text or a fragment of the source text, the author or co-author of which is the author of the checked document
Quotes	A fragment of the document text that contains the text or a fragment of the source text and formatted in accordance with the rules of quotation, with full bibliographic information about the source. Also quotes include common expressions, bibliography, fragments of text found in sources from the collections of regulatory documents.
Text similarity percentage	The proportion of all found similar text in relation to the total size of the checked document in characters
Text recycling percentage	The proportion of all found text recyclings in relation to the total size of the checked document in characters
Quotes percentage	The proportion of all found quotes in relation to the total size of the checked document in characters
Originality percentage	The proportion of all document text fragments that were not found in the sources used for check, in relation to the total size of the checked document in characters
Report	The result of checking the text for reuse: <ul style="list-style-type: none"> Brief report - is a percentage of originality, list of text sources. Full report - is a percentage of originality, list of text sources, the full text of the document, marked with found similarity text blocks.
Report share	The ratio of the volume of matches that is taken into account within this source to the total volume of the document. That is, if the same text was found in several sources, it is taken into account only in one of them. When summing up the shares in the reports for all sources, a percentage of "Similarity" is obtained.
Text share	The ratio of the volume of matches of the source text to the volume of the

	document. The shares in the text by sources are not summed up when calculating the total percentage of matches.
Report blocks	The number of text similarity blocks from the source, taking into account the intersections of all found sources.
Text blocks	The number of text similarity blocks from a source without regard to other found sources.
Collection (search module)	<p>The software module of the corporate version of the system "Advacheck" , implementing the search for text reuse. The module uses a search index or a special computational algorithm to build reports. The system can have several collection. Search modules may differ in purpose, for example:</p> <ul style="list-style-type: none"> • Internet search; • Citations; • Wiley Open Library; • GARANT collection; • eLIBRARY collection; • Cross Language Search. <p>Once you have access to several search collections, you can build both individual reports and a single report for all search collections.</p> <p>Some collections perform searches across specialized databases with the casts of the texts of the source documents, but to obtain access to the selected search module doesn't mean getting access to the full texts of the documents it can find this collection. In the received reports, links to the documents will be indicated (their names will also be given), and when viewing the source text, it will contain fragments that coincide with the document being checked.</p>
Browser	Software that allows users to view pages on Internet sites and access files and software associated with those pages. For example, Mozilla Firefox, Google Chrome, etc.

1.2. Purpose and conditions of use

The service is designed to check text documents for plagiarism. As a result of the scan, users receive text reuse reports. The report contains information on the sources and indicators of text similar to source, as well as detailed information with the indication of those fragments of the checked document that have been identified as text similarity. The identification is accompanied by the presentation of the matching text fragment of the borrowing source and/or the reference to the original (URL). As a result of the document check, the user can determine which part of the document is written independently and which part is reused.

To use the service you need:

- Connect to the Internet;
- Install a browser or use the browser of one of the most common types built into your operating system (MS Edge version 97 and above, Mozilla Firefox version 90 and above, Opera version 78 and above, Chrome version 92 and above).

The results of work with the system "Advacheck" are not the basis for claims of copyright violations, the service is aimed at use only for information purposes. In other words, we do not declare that a particular text is plagiarism, but only inform you about the presence of the same or similar text fragment. It is possible that when working with the service, you will find the text copied from other sources, including the possibility that the downloaded document is the original source. In any case, when working with the service, be careful, try to be objective and do not rush to conclusions. Remember that the service is only a tool of work, and only the user can give a real

assessment to the document.

2. Preparation for the start

2.1. Workplace

To prepare the workplace when working with the system "Advacheck" it is enough to open a browser. To work with the service, browsers of the most common types, such as MS Edge version 97 and above, Mozilla Firefox version 90 and above, Opera version 78 and above, Chrome version 92 and above, can be used.

To get started, go to the service website by typing in the address bar of the browser address you received by e-mail from the administrator of the company.


So, we have a ready workplace:

- files downloaded to your computer;
- the browser is open;
- the service's website page is opened in the browser.

2.2. Log in and log out from the system


To access the system, use the login form. To do this, click on the "Log in" link in the upper right corner of the page.

If you do not remember the e-mail that you used for registration in the system, then you can use the "Remember e-mail" function on the login page. You will see a window for entering registration details from the old site: login and password. If you enter your login and password correctly, you will see the e-mail you used for registration on the old site.



Picture 1. Log in to the workspace in the "Advacheck" system.


Fill your credentials into the opened login form. Click on the "Show password" button, if you want to check the correctness of the password. Click on the "Log in".



The login form is divided into two tabs: "LOG IN" and "SIGN UP". The "LOG IN" tab is active. Below the tabs, there are two input fields: "EMAIL:" and "PASSWORD:". The "PASSWORD:" field has a "SHOW PASSWORD" button with an eye icon. Below the password field, there is a "Restore password" link. At the bottom of the form, there is a blue "LOG IN" button.

Picture 2. Login form into "Advacheck" system

After log in the icon "Menu" will be displayed on every page of the website in the upper right corner of the page. When you click on the icon, the navigation through the sections of your account will be available. To the left of the "Menu" icon you will see a brief information about yourself: the role in the system and e-mail. Figure 4 depicts an example for the "Expert" role.




Picture 3. Dropdown menu

To log out from the system, click on the "Menu" icon and then select "Log out".

2.3. Role change

If your system administrator has assigned you more than one role, you will see an arrow next to the role name located at the top of the page. Click the name of the current role to view the full list of roles available to you.




Picture 4. List of user's roles

To change a role, click its name in the drop-down list of roles. After that, the page will change the name of the current role, and you will be redirected to the user account for this role. Please note that only one role is available at a time.

3. Profile

To go to your profile, click on the "Menu" and select the "Profile" tab.

In the profile you can review your credentials. User's data can be changed only by the company administrator.



Picture 5. User's profile

4. Customer Care Service

If you do not find answers to questions about the system, please contact Customer Care Service. To do this, click on the "Menu" in the upper right corner and select the "Customer Care Service" tab. The system opens a window with a form to send the case.

Contact customer care service

MESSAGE:



SEND


Picture 6. Feedback form

Enter your question in the "Message" field and click on the "Send" button. Our experts will respond to your request to the e-mail, which was used to log in.

5. Adding a website

Our Internet search module performs a check on the already indexed sites of the web. If you find an interesting site or resource that is not included in the Internet search module, you can add it to our search module. This will allow you to build more complete and reliable reports for check through the Internet search module.

To add a website for indexing, click on "Menu" and select "Add website". Copy the link in the URL field and click "Add". You can also leave a comment about the site to which this link leads, for example, that this site is an open e-library or abstracts site.



Picture 7. Website indexing form


If the site you specify is already known to our system, you will receive the message: "The Site has already been processed by our system".

Please note that the new website will be placed in the Internet search Module according to the order of the indexing queue.

6. Workspace

The Workspace provides an opportunity to upload and check documents. To access the document check, click on the «Menu» and select the «Workspace» section.


On the Workspace page, you will see the «Folders» and «Documents» panels, which are used to perform all the basic actions with the folders and documents of the Workspace.



Picture 8. Workspace for corporate users

6.1. Document upload


To get started, click the «Check » button. If you have unused checks for Full L and/or Full XL tariffs, a modal window for tariff selection will appear. Select the required tariff and click «Continue». Then select the files on your computer or drag and drop the documents you want to the «Upload documents» field.



The screenshot shows a dialog box titled "UPLOAD DOCUMENTS" with a help icon (?) in the top right corner. Below the title bar are two tabs: "Documents" (selected) and "Parameters for checking". The main area of the dialog is a light blue rectangle with a dashed border. Inside this area, there is a blue button with a document icon and the text "UPLOAD DOCUMENTS". Below the button, the text "OR DRAG AND DROP FILES HERE" is displayed. Further down, a smaller line of text lists permissible document formats: "doc, docx, pptx, htm, html, pdf, rtf, txt, odt, 7z, zip, rar, maximum size: 100 MB". At the bottom left of the dialog is a "CANCEL" button, and at the bottom right is a "CHECK" button.

Picture 9. Adding the document(s)

You can exclude files from the list selected for upload by clicking on the icon to the right of the file.



Picture 10. Managing the list of files selected for upload

Click the «Check» button to send the selected files for checking.

Please note that system has a limit for the number of symbols in one document. Documents which contain more than 2 million symbols are not checking. After uploading such documents error message will be displayed in Workspace.

Please note that the service supports the most common text file formats: pdf (with a text layer), txt, html, htm, docx, doc, rtf, odt, pptx. The size of the uploaded file should not exceed 100 MB.

Note: A text layer in a PDF is directly text data from a file that can be selected and transferred to another area for further processing as a set of characters, not as an image. A text layer in a PDF can be placed on top of other layers of the file, for example, on top of images. Please note that scans, photos and other images that depict printed characters are not a text layer.

In addition to uploading individual files, it is possible to upload the archive in the format RAR, ZIP or 7z. In this case, all documents from the archive are processed separately.


Please note that it is prohibited to use ;<>+&%#@[]{}~`@*\ symbols in the name of the document.

If you do not enter the parameters, the following default values will be applied to the document: the folder that was opened when viewing the user's Workspace is selected, the document type is not specified, the name is the file name, all possible check options will be set for the search modules (depending on the services connected by the company).

6.2. Document check

After adding files to the list you can specify save and check options of the document and choose the modules which should be checked against the document on the "Parameters for checking" tab.

Documents are checked taking into account the structure, you can include only the sections you need in the check. To exclude a section from the check, uncheck the box next to this section. Detailed information on each section will be available on the "Check Results" page in the "Document Structure" tab.



The screenshot shows a modal window titled "UPLOAD DOCUMENTS" with a close button in the top right corner. It has two tabs: "Documents" and "Parameters for checking", with the latter being active. Inside the "Parameters for checking" tab, there is a "Check by:" label with a help icon and a dropdown menu currently set to "All search modules". Below this is a "Checking against structure:" label with a help icon and a text box containing "Marked sections will be included in check". Underneath are five checkboxes, each with a label: "Main", "Title", "Content", "Bibliography", and "Appendix". All five are checked. At the bottom left is a "CANCEL" button, and at the bottom right is a "CHECK" button.

Picture 11. Check's parameters selection

Next, click on the "Check" button, the document will be added to the Workspace and sent for check. In the folder where the document was added, you will see the added document, in the line with the document will be the date of loading the document. After the check is complete, the check results appear in the row.

6.3. Text check

In some cases, it is more convenient and faster to use the text check function, click on the "Add text" button. In the form that opens, type or paste in the text field, select the collections that will be used to check the document, and then click "Check".

DOCUMENT CHECKING

Document text

Check parameters

Name:

Text example

Text:

The experiments conducted in this study are made possible through the use of several newly developed datasets, allowing for a more in-depth picture of the changes that have occurred in this region over the course of the entire twentieth century.

It is important to consider the areal extent of agriculture and its productivity separately within the climate system for two reasons. First, as shown in the sensitivity studies, they have, at times, opposing effects and modify the energy and water budgets to different degrees. Second, in the course of the twentieth century, and likely in the future, these changes have had different development arcs.

CANCEL

CHECK

Picture 12. Adding the text

After you click "Check", a document will appear in your workspace, its name will be the same as the first word in the entered text (no more than 15 characters), and then a check for this document will start.

6.4. Document recheck

If you want to check an uploaded document through other collections, you can use the recheck option. Mark the selected document, then click on the "Recheck" button in the top menu.

Workspace

ADD DOCUMENT

ADD TEXT

FOLDERS

All documents

Root folder 2

RECHECK

MOVE

DELETE

REPORT HISTORY

TO

FROM

INDEX


Search by document name

1/1

Name	Upload date	Originality
<input checked="" type="checkbox"/> Summer Climate Change in the Midwest and Great Plains due to Agric...	29 May 2020 13:40	59,39% SEE RESULTS
<input type="checkbox"/> Marine microbial metagenomes sampled across space and time	29 May 2020 13:40	2,51% SEE RESULTS

Picture 13. Documents marked for recheck (corporate users Workspace)

In the dialogue window, select the search collections and click "Check".




Picture 14. Documents recheck

We recommend that you do not perform repeated checks on the same collections as in the previous checks: most likely, the result in this case will be identical.

The document will be sent for check and after a while the results will appear in the line with the document. It is impossible to send the document for rechecking, if it is in the process of checking.

6.5. Viewing and editing document information

Each document when added or moved to the Workspace is placed in the folder of the Workspace. Once you click on the name of the folder in which there are documents, you will see the documents contained in the respective folder.




Picture 15. Corporate users Workspace with the uploaded documents and folders structure

Documents are arranged in a list. Each row in the list displays information about the document, the result of the check, and a link to the report.

The originality assessment in the document line is intended for the primary, superficial acquaintance with the results of the check. To get a detailed assessment of the results of the test, go to the scan report view by clicking on the "See results" button. After that select "Full Report".

To view the information about the document, open the folder, click the "See results" button located next to the document. After that select "Document statistic". A window will open with the document attributes and information about the date and duration of the upload.




Picture 16. Document's statistic

To view the text of the uploaded document, click its name in the list of documents. The "Version for reading" page opens, displaying the text of the document in page-by mode.

To navigate through the text pages, use the paging panel located above and below the text box. You can display all pages of the document at once by clicking the "Show all pages" button under the text field.

On the tabs "Initial view" and "Annotation" you can see the text of the loaded document with the original formatting and annotation to the document, respectively. An annotation to the document is automatically generated by the system and consists of several sentences from the document to get an idea of its content.




Picture 17. Review of the document information

The same operation can be performed by selecting the desired document in the Workspace and clicking the "Change name and type" button in the top menu. In the window that opens, you can change the name of the document and assign a document type.

6.6. Automatic extraction of author's name

The "Advacheck" system attempts to extract the name of the author(s) from the text when loading a document. In case of successful extraction, the full name of the author(s) is displayed on the "See Results" page in the "Document Properties" section after the document is loaded and checked.


To go to the "See Results" page, click the "See Results" button near the necessary document in the Workspace.



Picture 18. Automatically extracted authors from document's text

The system extracts up to 10 authors. The extracted authors are used to automatically calculate the indicator "Text recycling". Automatic calculation of the Text recycling percentage will be made within the eLIBRARY, RSL and NLB collections.


If the system has not extracted any author of the document, then in the document properties the "Document authors" fields will be highlighted in yellow. In this case, enter the author's name manually (see [Manual adding the name of the document's author](#)). The authors' names are required to calculate the indicator "Text recycling", and are also used to display information about the authors in verification certificate, printed and pdf-versions of reports.



Picture 19. Author's name not extracted

6.7. Manual adding the name of the document's author

You may add the name of the document's author after checking the document. Click the "See results" button located next to the document and select "Edit properties". After that add the author of the document. You may add up to 10 co-authors.



Picture 20. Authour's name adding

After setting the author's name, the automatic process of text recycling percentage calculation will be started. You may correct the text recycling percentage manually by changing the types of sources.

Automatic calculation of the text recycling percentage will be made within the eLIBRARY, RSL and NLB collections.

6.8. Moving a document


To maintain the hierarchical structure of folders, use the "Folders" panel, displayed on the left in user Workspace. The "Folders" panel contains active items and buttons that allow you to perform actions on folders: add, delete (if the folder contains documents, they will be deleted), rename and move the folder, and navigate through the folders.

By default, a "Root folder" is automatically created in each Workspace, all other folders are created in it, this folder cannot be deleted, moved or renamed.

To the right of the folder names you will see a numeric value – this is the number of documents in the folder, so you can additionally control the distribution of documents by the folders.

To move a document from one folder to another, mark the document with a checkmark (you can select several documents to move), then click the "Move" button in the top panel.


The dialogue window will be opened; it will display the folder structure. Select the destination folder and click "Continue", then the document will move to the selected folder.



Picture 21. The window for moving the document(s)

6.9. Document search

To search for a document, enter the full or partial name of the document in the search bar, and then click on the button in the form of a magnifying glass or the Enter key.




Picture 22. Search bar (corporate users Workspace)

After the search is started, the list of documents will show the found documents in all the folders that are nested inside the root folder. You can navigate folders by leaving a request in action, then only documents on request will be visible in the folders.

6.10. Document deletion

To delete a document from the Workspace, tick it and click on the "Delete" button in the top panel.




Picture 23. Document deletion from corporate users Workspace

If you are a corporate user, the document will be deleted from your Workspace, but will remain in the collection of the company with the mark "Deleted". The administrator of the company can restore the document deleted from the Workspace through the collection.

6.11. Reports' history viewing

When you recheck a document or edit a report, all previous versions of reports are saved in the system. To view the history of reports, select the document and click on the "Report History" button on the top panel.



Picture 24. Reports' history viewing (corporate users Workspace)

You may see a brief information about all the reports created on this document in a separate opened window. Reports in a history are sorted in descending order of date.

To move to a detailed view or adjust one of the reports, click on the "Open" button. The report will open on a new page.

REPORT HISTORY ?

×

Amargasaurus

Report №2

CHECKED: 26.12.2022 12:38:56 DURATION: 00:07:50

SIMILARITY 100%

TEXT RECYCLING 0%

CITATIONS 0%

ORIGINALITY 0%

OPEN

Report №1

CHECKED: 31.08.2021 18:05:00 DURATION: 00:02:40

SIMILARITY 96,11%

TEXT RECYCLING 0%

CITATIONS 0%

ORIGINALITY 3,89%

OPEN

CORRECTION: 13.04.2022 10:53:25

SIMILARITY 96,11%

TEXT RECYCLING 0%

CITATIONS 0%

ORIGINALITY 3,89%

OPEN

Picture 25. Reports' history

You may also see all the corrections of the report and edit the specific correction. A correction is created automatically after the report is edited.

REPORT HISTORY ?

×

Report №1

CHECKED: 13.04.2022 11:29:15 CHECK DURATION: 00:08:48

SIMILARITY 5,35%

TEXT RECYCLING 75,95%

CITATIONS 0,62%

ORIGINALITY 18,08%

OPEN

CORRECTION: 13.04.2022 11:33:59

SIMILARITY 78,83%

TEXT RECYCLING 0%

CITATIONS 3,09%

ORIGINALITY 18,08%


OPEN

Picture 26. Reports' history with correction

6.12. Adding documents to company's collection

If you want carry out text reuse detection in your company with the uploaded documents, you may add your documents to your company's collection.

To add documents to the collection, select documents and click on the "To Index" button.




Picture 27. Adding documents to company's collection

You may delete your documents from the company's collection. Select documents and click on the "From Index" button.

7. The report on the text reuse check result

7.1. Full report

After the document is loaded and checked, you may navigate to the report. To go to the full report view page, click the "See results" button located on the line with the checked document. After this click "Full report" button.




Picture 28. Full report selection

The full report includes:

- evaluation of originality / similarity / quotes / text recycling;
- evaluation of suspiciousness of a document with details on the "Suspicious document" page
- list of similarity sources with the ability to edit and go to the source report;
- continuous or page-by display of the full text of the document marked with the found similar blocks;
- page-by-page display of the full text of the document in the original document;
- the date of document checking;
- document's name;
- report correction.

The figure below shows a General view of the full report.



Picture 29. Full report

In the top panel of the page you will see the icon buttons, allowing you to proceed to the next action:


- parameters for checking;
- export of the report;
- downloading the Certificate;
- save the edited report;
- report printing layout;
- view reports history;
- view text metrics;
- get a direct link to the report;
- link to the brief report;
- link to user manual.

7.1.1. Viewing the report

The report page consists of the text to be checked, in which the similar blocks are highlighted, the list of sources, the aggregated results of the check and navigation through the blocks of similarity (search by blocks).

To navigate through the text pages, use the paging panel located above and below the text box. To display all pages of the document at once, click on "Show all pages" at the bottom of the document page.

To return to the page-by-page display of the report text, click the "Show by page" button on the paging panel.




Picture 30. Page-by-page display of the report text

To see which text fragments were similar and to which specific source, all text similar blocks in the system are highlighted, and at the end of each block there is a label with the respective number of the source.

When viewing similar blocks in a report, you can use block navigation (block search). With its help you can go to the next or previous block by pressing the "Previous" or "Next". You can also choose which type of text blocks to use.

7.1.2. Viewing information about the source

To view information about the source, find the source in the list, expand the respective source and click on the icon.




Picture 31. Source information in the source list

The source information window displays various data on the source: a link to the source, the date of its publication, the author, etc. The list of fields may be different depending on the search module and the source itself.

If the source is placed in index of approved by administrator of your company, then appropriate flag about the source appears. Text reuses from such source included in citing percentage and highlighted by green color.

Parameters such as text share, report blocks, text blocks are customizable. To do this, click on the "Menu", select the "Profile" section and go to the "Report settings" tab. You can choose which of the parameters will not be displayed in the report by unchecking one of them.



My profile?

PROFILE SETTINGS **REPORT SETTINGS**

DISPLAY IN REPORT

- ☒ Report blocks parameter
- ☒ Text blocks parameter
- ☒ Text share parameter


SAVE

Picture 32. Report settings

When analyzing sources, you can use both report share and text share. For a clear understanding of the difference between them, let's give an example: The report indicates two sources "Source A" and "Source B". According to the sources, the same paragraph of the text was found, which makes up 10% of the total volume of the document being checked. In this case, we will get the following data:

- Source A: text share is 10%, report share is 10%;
- Source B: text share is 10%, report share is 0% (because this text has already been taken into account from source A.)


Another way to view information about a source is to click on the source number in the full report text. A window will appear that contains basic information about the source.



Picture 33. Source information in the full report text

7.1.3. External link to the source

For most sources in the list there is an external link to the location of the document or source text on the Internet. To go to the web page, click the icon next to the source name.



Picture 34. External link in the list of sources

After clicking on the link, the web page on which the text of the block was found will be opened.

A situation may arise when the source is unavailable after clicking on the link. Perhaps the site administrators deleted the text, or the page "moved." But in any case, this text was available at the specified address when the site was added to the index of the search module of the system.

The fact that one or more of the report's links to the open sources on the Internet at the time of viewing the report do not work is not a reason to remove these links from the system's index. Texts at the links' addresses were indexed, before being deleted / moved, they were available to third parties, could be read, copied or otherwise used. Also, they could be stored in the cache of search engines and web archives, where they could still be found.

7.1.4. Viewing the source report

To view the source report, click the link in the source name in the list of sources. A new tab in the browser will open with the text of the source with which there was a duplication. Instead of text that doesn't overlap with the source, you'll see the number of characters that were skipped.

If you want to view the full source text, open the source link by clicking on the "Go to the source website" button.

SOURCES ?

- [01] 1036988214-MIT.pdf
- [02] 1036988214-MIT.pdf
- [03] not specified
- [04] Downloadable Full Text
- [05] Downloadable Full Text
- [06] Downloadable Full Text
- [07] Downloadable Full Text
- [08] Impact of Irrigation Meth...
- [09] Impact of Sea Surface Te...
- [10] Impact of Sea Surface Te...
- [11] Improving the Simulatio...
- [12] A Modeling Study of Irrig...
- [13] A Modeling Study of Irrig...
- [14] https://conservancy.umn...

Report on the source[01]

DISPLAY FULL TEXT GO TO THE SOURCE WEBSITE INFORMATION

1036988214-MIT.pdf

Skipped 20911 characters / 2439 words

July-August average temperature change (°C) from 1920-1949 to 1970-1999

in

Skipped 13945 characters / 1558 words

how crops will

Skipped 6 characters / 1 word

in different climate

conditions, but also how crops and agricultural

Skipped 2801 character / 433 words

Picture 35. Report on the source

Click another source in the Sources pane on the left to view the report for that source immediately.

You can choose to view the report by source – page or solid text. By default, the source report is displayed page by page. To switch the view mode, click on "Show full text". When you switch to solid text view, the button changes to Show text page by page. Click it to go to page view.

Another way to view the source report is to go to the source report from the block in the text. Click on the source number at the end of the block, then click on the source name.

Recent advances in understanding the ecology of marine systems have been g

growing availability of metagenomic data, which provide information on the id

functional potential of the microbial community in a particular place and time.

comprising over 5 terabases of metagenomic data from 610 samples spanning

Atlantic and Pacific Oceans. One set of metagenomes collected on GEOTRAC

geographic tra

data, collected

ALOHA and BATS. These metagenomes contain genomic information from a d

1

Source: [Marine microbial metagenome...](#)

Link: <https://ora.ox.ac.uk/objects/uu...>

Date: 13 Aug 2019

Search module: INTERNET PLUS


Picture 36. Going to the source report from the text block

The page "Report on the source" will be opened with the selected block.

7.1.5. Viewing report history

When you recheck the document or edit the report, all previous versions of the reports are


saved in the system. To view the report history, click the "More" button and select the "Report history" item in the top menu of the full report.



Picture 37. Viewing report history

A separate window will open, where you will see a summary of all the reports made for this document. Reports in history are sorted in descending order by the build date.

To go to the detailed view or correction of one of the reports, click the "Open" button. The report opens on a new page.



Picture 38. Report history

You can also view all the corrections to the report, go to a specific correction and change it. The correction is created automatically when you edit the report.

Report №1
CHECKED: 13.04.2022 11:29:15
CHECK DURATION: 00:08:48

SIMILARITY 5,35%
TEXT RECYCLING 75,95%
CITATIONS 0,62%
ORIGINALITY 18,08%

CORRECTION: 26.12.2022 12:43:26

COMMENT
One source deleted

REVISIONS

Legal information system «Adilet» search module	0%	0%	0%	100%
Bibliography separation module	0%	0%	0,05%	99,95%
ELS joint collection	0%	0%	0%	100%
Search module INTERNET PLUS	5,07%	0%	0%	94,93%
RSL collection	0%	75,95%	0%	24,05%
Citations	0%	0%	0,58%	99,42%


OPEN

Picture 39. Information on the edited report in the reports history

7.1.6. Editing of the text blocks

You may adjust the check result not only by excluding or changing the source's type, but also by deactivating text blocks. This feature allows to not use the selected blocks when calculating the percentages.

To disable the necessary text block in the report, left-click on it. The "Deactivate" button will appear. After this the block will change color to gray. The system will automatically recalculate the percentages, but without accounting disabled text block.



HOME / WORKSPACE / CHECK RESULTS / FULL REPORT

ACTION Troitskaya 1/14

Text view Original view (0) All blocks

40 | ACTA NATURAE | VOL. 14 No 1 (52) 2022

REVIEWS

ABSTRACT Apoptosis plays a crucial role in chemotherapy-induced cell death. The conventional theory holding that apoptosis needs to be immunologically silent has recently been revised, and the concept of immunogenic cell death (ICD) has been proposed. This review describes the main features of ICD induction. These ICD markers are important for the effectiveness of anticancer therapy, as well as for basic research into cell death regulation. The mechanism of the "vaccination effect" of dying cancer cells undergoing ICD has been fully described, including the activation of specific antitumor response after re-challenge by the same living tumor cells. This review also discusses the whole set of molecular events attributing cell death to immunogenic type: the exposure of calreticulin and the heat shock protein HSP70 to the outer surface of the cell membrane and the release of the nuclear protein HMGB1 and ATP into the extracellular space. ICD inducers of various nature (chemotherapy drugs, cytotoxic proteins, and oncolytic viruses), as well as physical methods, are classified in the current review.


KEYWORDS Immunogenic cell death (ICD), HMGB1, calreticulin, antitumor vaccination, chemotherapy, apoptosis-inducing proteins, oncolytic viruses, cold plasma jet.

ABBREVIATIONS APCs – antigen-presenting cells; ATP – adenosine triphosphate; CAP – cold atmospheric plasma; CRT – calreticulin; CTLs – cytotoxic T lymphocytes; DAMPs – danger-associated molecular patterns; ER – endoplasmic reticulum; HMG – high-mobility group; HSP – heat shock protein; ICD – immunogenic cell death ; IL – interleukin ; LPC – lysophosphatidylcholine; MHC – major histocompatibility complex; PS – phosphatidylserine; ROS – reactive oxygen species; TLR – Toll-like receptor; TNF – tumor necrosis factor ; VV – vaccinia virus.

Picture 40. Disabling the block in the report

To take the disabled text block into account again, find the disabled text block and click on it. The "Enable" button will appear. After clicking on it, the result will be recalculated again.

You may find out if there are the disabled text blocks and enable all the text blocks at once in the check results panel. To enable all text blocks, click on the "Enable All" button and the system will automatically recalculate the check result.



HOME / WORKSPACE / CHECK RESULTS / FULL REPORT

ACTION Gopinath-2010-Frequency-of-price-adjustment-and-p 1/53

Text view Original view (0) All blocks

NBER WORKING PAPER SERIES

FREQUENCY OF PRICE ADJUSTMENT AND PASS-THROUGH

Gita Gopinath

Oleg Itskhoki

Report contains disabled blocks

ENABLE ALL

CHECKED: 06.07.2022 17:27:52
CORRECTION: 21.09.2022 18:53:38

17,93% REUSE

0% SELF-CITATIONS

0% CITATIONS

82,07% ORIGINALITY

SOURCES: 44 FROM 65

RECALCULATE

Picture 41. Enable all text blocks button

Also you may find out if there are any disabled text blocks in the workspace. In the list of documents a report that contains disabled text blocks has one more status : "The report contains disabled blocks".

<input type="checkbox"/> Name	Upload date	Originality	
<input type="checkbox"/> Summer Climate Change in the Midwest and Great Plains due to Agric...	29 May 2020 13:40	60,08%	SEE RESULTS
<input type="checkbox"/> Marine microbial metagenomes sampled across space and time	29 May 2020 13:40	2,48%	SEE RESULTS


Picture 42. The document's status about presence of disabled text blocks

Please note that text blocks of different sources may intersect with each other - one smaller block may be the part of the bigger block. After deactivating a large text block, the small text block will be deactivated with it.

You may use navigation on disabled blocks to the right of the report's text.


7.1.7. Comments to the report

On the full report page in the original view mode, you can make comments to the report. This functionality is not available in a text view mode. The comments button is located at the top panel of the page. The current number of comments to the report is shown in parentheses next to it. When you click on the button, a drop-down list of suggested actions opens. You can leave your comment and view all comments.



Picture 43. Comments button


As you scroll down the document, the comments button moves to the right corner next to the page switching.



Picture 44. Comments button when scrolling


7.1.7.1. Adding a comment

When you click on "Create Comment", the mouse cursor changes to a special indicator of document areas where you can leave comments. In some areas of the document, the cursor may become translucent and colorless, which means you cannot leave comments on this area. A special mark is set at the place of the click, and a text box opens next to it. A comment length is limited to 250 characters.



Picture 45. Comment creation window

When you save a comment, a comment icon appears near the place where you made the mark.



Picture 46. Comment icon on the page

If you change your mind about creating a comment, you can click anywhere outside the comment, or click the "Cancel" button in the text box, and it will disappear. After that, the cursor will become standard. To re-comment, click the comment button at the top panel of the page again and select "Create Comment."

7.1.7.2. Actions with comments

Each user with the rights to comment can do the following:


- Viewing;
- Editing;
- Deleting.

You can edit your comments. To do this, click the "Edit" button, make changes and click the "Save" button. If you want to delete your comment, click the "Delete" button and confirm the deletion.

7.1.7.3. View all comments

To view all comments at the report, click on the comments button at the top panel and select

the "View all comments" option in the drop-down list. You will see a modal window with a list of comment links. A comment link displays a full text of the comment in the report. Viewed links are highlighted in grey.



Comment	Page	Creation date
It's very large style.	page 100	01 Nov 2021 01:47
Why not CCELTA?	page 115	01 Nov 2021 01:53
I don't like the fact that the list of items is torn like that. It is necessary either to shorten the text, or to supplement it. This is not critical, but I would like to see the list on one sheet. It feels better that way. And I think about commission	page 124	01 Nov 2021 01:57
Where is description?	page 126	01 Nov 2021 01:58
Many undeciphered abbreviations	page 133	01 Nov 2021 01:59
Too much indentation. Or change in other cells, or make less here	page 193	01 Nov 2021 02:01
All headings and subheadings have a different alignment. Need to deal with formatting	page 203	01 Nov 2021 02:04

Picture 47. List of report comments

You can click on the comment text only. After the click, the modal window with the comments list will close, a page with the comment will display and a textbox with the comment will open on the page.

7.1.7.4. Access by a direct link


A direct link to a report displays all comments in a read-only mode. You cannot create and edit comments even if you are logged in to the system.

7.1.8. Editing of the sources' list

When viewing the full report, you can, if necessary, to perform the following actions with sources:

- Changing of source type;
- Source exclusion;
- Source recovery.


To manage sources, you can click on the icons in the block on the right side of the full report page.



Picture 48. Source buttons

7.1.8.1. Changing of source type


To change the type of source, you need to click on the "Pencil" icon.



Picture 49. Icon for changing the source type

Clicking on the icon will open a modal window for detailed correction of the source type. In this block, it will be necessary to indicate the new type, the reason for changing the source and your comment on the changes.

The list of reasons depends on the selected source type. For each of the reasons, there is a tooltip that is visible when hovering over the question mark. If you did not find a suitable reason, you can select "Other", but with the obligatory indication of a comment.



Picture 50. Type, reason for change and comment


The reason and comment will be displayed in reports and printed forms.

D.Brining						CHECKED: 01.11.2021 01:31:25
						CORRECTION: 15.11.2021 04:37:26
No	Report share	Source	Valid from	Search module		
[01]	47,97%	The challenges faced by teachers of English as a foreign language to young lea...	31 Oct 2021	Search module INTERNET PLUS	<div> <div>Clarification on a source type</div> <div>Reason: Improper source usage</div> <div>Comment: This is my another paper.</div> </div>	
[02]	42,41%	The challenges faced by teachers of English as a foreign language to young lea...	31 Oct 2021	Search module INTERNET PLUS		
[03]	0%	The challenges faced by teachers of English as a foreign language to young lea...	31 Oct 2021	Search module INTERNET PLUS		
[04]	5,84%	not specified	14 Nov 2021	Citations		

Picture 51. Clarification on the type change in the summary report


7.1.8.2. Source exclusion

To exclude a source, you need to click on the "Trash" icon.



Picture 52. Source exclusion icon


When you click on the icon, a modal window will open to confirm the action with an indication of the reason and a comment. It is obligatory to indicate the reason.



Picture 53. Source exclusion icon


7.1.8.3. Source recovery

If you need to restore an excluded source, first, in the block on the right, you need to filter the sources by their status. To do this, in the filter panel, select "Sources" and select "excluded sources" from the list. The content of the block will be reloaded, instead of the exclude icon, the source restore icon will appear.



Picture 54. Source recovery

When you click on the restore source icon, a modal window for confirming the action will open.




Picture 55. Recovery confirmation

Upon confirmation of the action, the source will reappear in the list of active ones.

7.1.9. Editing text similar blocks

You may adjust the result of the check not only by removing the source, but also by disabling individual similar blocks in the text. This allows you to ignore the selected blocks when calculating the percentage of text similarity or quotation.


To disable the particular block in the report, click it with the left mouse button. The "Deactivate" button appears. After clicking the "Deactivate" button, the block will change its color to gray. The system will automatically recalculate the percentage of text similarity without taking into account the block you have turned off.



Picture 56. Disable a block in a report



To restore the block in the report, find the disabled block and click on it. The "Enable" button appears. Click on it, and the result will be recounted.

You can see if there are any blocks off, and include all the blocks in the results panel at once. To enable the blocks, click the "Enable all" button, the system will automatically recalculate the result of the check.



Picture 57. Enable all text blocks button

If any report has disabled similar blocks, you can find out about them in your workspace. In the list of loaded documents, the report, which contains the disabled blocks, has another status "The report contains disabled blocks".


RECHECK MOVE DELETE REPORT HISTORY TO FROM INDEX				
<input type="checkbox"/> Name		Upload date	Originality	
<input type="checkbox"/> Summer Climate Change in the Midwest and Great Plains due to Agric...		29 May 2020 13:40	60,08%	SEE RESULTS
<input type="checkbox"/> Marine microbial metagenomes sampled across space and time		29 May 2020 13:40	2,48%	SEE RESULTS

Picture 58. Document status on the presence of disabled blocks

Please note that the blocks from different sources can overlap – one smaller block may be the part of the larger block. If you deactivate a larger block, the small block will be deactivated as well. Moreover, the shutdown of the small unit will occur on all sources to which it is included.

If the blocks intersect partially, only those fragments of the block that are not included in the intersection are disabled.


To save time when viewing disabled blocks in a report, use the navigation in the menu at the top of the report text. Click on the "All blocks" button. A navigation window will appear. Select "Disabled blocks". With it, you can go to the next or previous block by clicking on the left ("Previous") or right ("Next") buttons.



Picture 59. A navigation window in the full report


7.2. Brief report

To go to the brief report view page, click the "See results" button located on the line with the checked document. After this select "Brief report" button.




Picture 60. Brief report selection

Brief report consists of distribution of percentages of originality, text similarity, quotes and text recycling as well as a list of similarity sources.



Picture 61. Brief report

For most sources in the list there is an external link to the location of the document or source text on the Internet. To go to the web page, click the icon next to the source name.



Picture 62. Link in the list of sources to the source page on the Internet

In the top panel of the page you will see the icon buttons, allowing you to proceed to the following actions:

- parameters for checking;


- export of the report;
- downloading the Certificate;
- save the edited report;
- link to user manual;
- view reports history;
- report printing layout;
- view text metrics;
- get a direct link to the report.

To get more information about the results of the check, open the full report by clicking on the "Report" button.

7.3. Report with formatting

A formatted report allows you to view the results of the document check while maintaining the original formatting (indentation, fonts, titles) and displaying tables and figures.

To view the report with the formatting, switch the tab "Text view" to the tab "Original view".




Picture 63. Original document view in the full report

The Original view tab, as well as the Text view tab, displays reused parts and a list of sources, but the markup is applied to the original formatting of the document.

It is worth noting that when you export the pdf report, the text of the document is downloaded without any formatting.

You can view the document in its original form in the "Version for reading". To do this, click on the name of the document in your account. The text view of the document opens, then click the "Original view" tab.



Picture 64. Original document view in the Version for reading

Please note that when adding for check files in txt, htm, html, pptx format, direct text input, you cannot view the original formatting of the document.


7.4. Document Structure

You can find sections of the checked document on the check results page in the "Document Structure" tab. The structure is extracted automatically while document is being checked for similarity.

Here you can see information about the following sections:

- Title page;
- Content;
- Main part;
- Bibliography;
- Appendix.

i System can now determine the structure of the document and display the sections found. A feature to account for structure when checking a document will be added at a later time.



LIST OF SECTIONS IN THE DOCUMENT

DOCUMENT STRUCTURE

<p>TITLE</p> <p>✓ Included in check</p> <p>Number of pages: 1</p> <p>On pages: p.1</p> <p>Share of the document text: 1,11%</p>	<p>BIBLIOGRAPHY</p> <p>✓ Included in check</p> <p>Number of pages: 7</p> <p>On pages: p.8-14</p> <p>Share of the document text: 28,89%</p>
<p>CONTENT</p> <p>✓ Included in check</p> <p>not found</p>	<p>APPENDIX</p> <p>✓ Included in check</p> <p>Number of pages: 3</p> <p>On pages: p.14-16</p> <p>Share of the document text: 10,15%</p>
<p>MAIN</p> <p>✓ Included in check</p> <p>Number of pages: 7</p> <p>On pages: p.2-8</p> <p>Share of the document text: 59,83%</p>	

* The colored blocks in the document thumbnail indicate the sections found. The order of blocks matches the order of sections in the document; the size of blocks does NOT match the size of sections in the document. Partitioning in the document is available by clicking the "Document structure" button.

Picture 65. Document Structure


The following information is provided for each section:

- Whether it has been included in the check or not;
- The number of pages in the section;
- Page numbers for each section;
- Section's text share compared to the text of the entire document

If a section has not been found by the system, a special notification will be displayed.

The block on the left shows a diagram of the document structure. Each section is marked in its own color. The sequence of the sections on the diagram reflects the sequence of the sections in the document.

When you click on the "Document Structure" button, a detailed analysis of the document divided by structure opens in a new tab.



Picture 66. Appendix

The panel on the right contains blocks with the sections. When you click on the block, you can see the information on the particular section. Clicking on the page number takes you to the respective page of the document. The text in the document is highlighted by the color of the corresponding section.

On this page you can edit the structure of the document recognized by the system if you see any errors. The following actions are available to you:

- adding a section;
- changing the borders of a section;
- deleting a section.

7.4.1. Adding a section

To add a new section that was not recognized by the system automatically, you need to open the menu for the desired section and click the "Add section" button.



Picture 67. "Add section" button

After clicking this button, you will need to put markers for the beginning and end of the section being added. The start marker appears first. It should be placed on the first line of the section in any place. After setting the start marker, you need to put the end marker on the last line of the section in the same place. If everything is put down correctly, click "Apply" to complete the markup of the section.



Picture 68. Adding a section

7.4.2. Changing the section borders

You can edit the borders of an existing section. To do this, click on the "Change borders" button near the beginning or end of the section. Then you can left-click on the marker that you want to move. With the next mouse click, you can set the marker to a new position. When you are satisfied with the changed section borders, click "Apply" to complete the editing.



Picture 69. Changing the section borders

7.4.3. Deleting a section

You can also delete a section if it was identified incorrectly and needs to be removed. To do this, click the "Delete section" button at the beginning or end of the section. Please note that you cannot delete the "Main part" section, since it is mandatory.



Picture 70. Deleting the section

7.4.4. Saving changes and refreshing check results

After making changes to the structure of the document, they need to be saved. To do this, click the "Save" button at the top of the screen.



Picture 71. Saving changes in the structure

Please pay your attention that after saving the changes in the structure, they are not automatically applied to the report. In order to see the results of checking the document with the updated structure, you need to recheck the document. For more information, see [Document recheck](#)

7.5. Suspicious document

A suspicious document is a document that shows signs of technical ways to change the text or format, such as replacing characters, inserting invisible text, etc. Such signs may indicate that the author tried to cheat the system to hide text reuses and artificially increase the originality percentage. If such signs of cheating have been found in the document, a special flag will be put for it in the workspace and the list of documents of the company.

<input type="text" value="Search by document name"/>		<input type="button" value="1/1"/>	
<input type="button" value="RECHECK"/> <input type="button" value="MOVE"/> <input type="button" value="DELETE"/> <input type="button" value="REPORT HISTORY"/> <input type="button" value="TO"/> <input type="button" value="FROM"/> <input type="button" value="INDEX"/>			
<input type="checkbox"/> Name	<input type="checkbox"/> Upload date	<input type="checkbox"/> Originality	
<input type="checkbox"/> Dynamic Learning and Pricing with Model Misspecification	<input checked="" type="checkbox"/> 17 Jun 2020 18:58	100%	<input type="button" value="SEE RESULTS"/>
<input type="checkbox"/> Summer Climate Change in the Midwest and Great Plains due to Agric...	<input checked="" type="checkbox"/> 29 May 2020 13:40	59,79%	<input type="button" value="SEE RESULTS"/>
<input type="checkbox"/> Marine microbial metagenomes sampled across space and time	<input checked="" type="checkbox"/> 29 May 2020 13:40	2,48%	<input type="button" value="SEE RESULTS"/>

Picture 72. Suspicious document indicator in the Workspace

Please note that if you see a suspicious flag, we recommend that you carefully read the check report and the suspicious fragments found in the document. Detection of suspicious documents is an auxiliary tool for analysis. The final decision is always up to the verifier.

The information that the document shows signs of a cheating is displayed in the check reports, in the printable versions, and in the downloaded reports. In a brief report the page numbers with the detected potential cheating attempts are displayed.

HOME / WORKSPACE / CHECK RESULTS / BRIEF REPORT

Brief report

FULL REPORT

CHECK RESULTS

EXPORT

CERTIFICATE

REPORT HISTORY

EXIT TO WORKSPACE

MORE...

Student's thesis_1

CHECKED: 06.12.2022 12:08:22

No	Report share	Text share	Source	Valid from	Search module	Report blocks	Text blocks
[01]	54,98%	78,02%	petrova_v_s_proekt-empl...	29 Oct 2017	Institutes Unity collection	144	178
[02]	1,72%	17,66%	How Does Owning a Dwe...	30 Apr 2022	Institutes Unity collection	10	56
[03]	2,72%	16,98%	Accounting and Valuatio...	29 Apr 2022	Institutes Unity collection	12	57
[04]	1,72%	14,98%	How Does Owning a Dwe...	01 May 2022	Institutes Unity collection	5	49
[05]	0,8%	13,17%	Does It Pay to Bet Agains...	30 Apr 2016	Wiley Open Library	3	51
[06]	1,58%	12,97%	Does It Pay to Bet Agains...	30 Apr 2016	Search module of Wiley Open Library paraphrases	4	30
[07]	1,8%	10,89%	Gaussian Processing Mo...	01 May 2022	Institutes Unity collection	3	34
[08]	0,86%	10,65%	Owning a Dwelling or Ha...	01 May 2022	Institutes Unity collection	3	37
[09]	2,5%	8,47%	https://aisberg.unibg.it/r...	25 Nov 2022	Internet search module	7	22

SIMILARITY

85,23%

TEXT RECYCLING

0%

CITATIONS

0%

ORIGINALITY

14,77%

SOURCES: 65

SUSPICIOUS DOCUMENT

The following reuse hiding methods may have been used:

INSERTION

Pages: 4, 10, 11, 12, 15, 16, 18, 20, 21... more on page 22


TEXT COHERENCE

This document may contain an attempt to cheat the system. Be careful when working with the report.

Picture 73. Brief report for a suspicious document

The printable version of the check report provides information about potential cheating attempts. It shows the types of cheating and page numbers where suspicious fragments have been found. Similarly, information is displayed in the downloaded versions of reports.

Text reuse report No.1



Author: [REDACTED]

Checked by: [REDACTED]

Organization: testvuz3

Report presented by the Antiplagiat service - <http://testvuz3.antiplagiat.ru>

DOCUMENT INFORMATION

Document No.: 503

Uploading start: 06.12.2022 12:01:08

Uploading duration: 00:00:19

Initial file name: petrova_v_s_proekt-empiricheskij-analiz-anomally-nizkogo-urovnya-riska.pdf

Document: Student's thesis_1

Text size: 118 KB

Number of characters: 120932

Number of words: 16494

Number of sentences: 98

REPORT INFORMATION

Check start: 06.12.2022 12:01:27

Check duration: 00:06:54

Comment: not specified

Search with editing factored in: Yes

Checked sections: main p. 1-38, bibliography p. 39-49

Search modules: Collection of the National Library of Uzbekistan, Cross language search over the Internet (UzRu), Search module of eLIBRARY.RU paraphrases, Search module of Internet paraphrases, Search module of Wiley Open Library paraphrases, ELS joint collection, RSL collection, Media collection, Citations, Search module of common phrases, Модуль поиска "testvuz3", GARANT legal documentation, GARANT analytics, Search module of Internet paraphrases (EN), Search module of GARANT analytics paraphrases, Wiley Open Library, Cross language search over the Internet (PLRu), Cross language search over the Internet (KyRu), Cross language search over the Internet (EnRu)

SIMILARITY

85,23%

TEXT RECYCLING

0%

CITATIONS

0%

ORIGINALITY

14,77%

SUSPICIOUS DOCUMENT

The following reuse hiding methods may have been used: INSERTION on pages: 4, 10, 11, 12, 15, 16, 18, 20, 21, 23... more on page 21 ; TEXT COHERENCE


Picture 74. Printable version for a suspicious document

A special block with a suspicious mark is displayed in the full report for a suspicious document. Click on the suspicious sign in the top menu. A window with the words "Suspicious document" and the "Details" button will appear. Click "Details" to go to the "Suspicious document" page and view detailed information about the suspicious text fragments. If the loaded document does not have formatting, instead of transferring to the "Suspicious document" page, the system will display page

Expert's guide for "Advacheck.Expert" system

48 / 53


numbers with potential attempts to cheat the system.



Picture 75. Full report for a suspicious document


Please note that if the uploaded document has no formatting, then instead of the link to "Suspicious document" there are the page numbers with potential cheating attempts displayed in the full report.

You may also access information about possible cheating on the "See Results" page. To do this, click on the "Details" link in the red suspicious document warning block.




Picture 76. Suspicious document on "See results" page

The "Suspicious document" page displays detailed information about the suspicious fragments found in the document. You can read the text of the document in the form in which it was uploaded into the system (keeping the original formatting). If a fragment is found on the document page that may contain a cheating attempt, it is marked in red.



Picture 77. "Suspicious document" page


To view information about suspicious fragments for the entire document, click the "In document" tab in the right panel. To view the page numbers, click the name of the cheating method. To go to any of the listed pages, click on the desired number.



Picture 78. "In document" tab


The "On page" tab provides information about suspicious fragments on the selected page of the document. To display certain cheating methods, check them and uncheck the others. The selected cheating methods are highlighted in red on the page, the removed cheating methods are underlined with a red line. To select all suspicious fragments on the document page at once, click on "Display all". In order to remove the selection from all the suspicious fragments, click on "Hide all".

It is also possible to review the text of the cheating, if it was extracted during the document processing.



Picture 79. Text revision on the "On page" tab

If the document does not contain cheating, you can disable the "Suspicious document" flag. To disable the flag, use the enable/disable button in the upper right corner of the "Suspicious document" page. You can leave a comment explaining why you disabled the "Suspicious document" flag. If you view the "Suspicious document" page through a direct link, you will not be able to disable the "Suspicious document" flag.




Picture 80. Disable the "Suspicious document" flag

If you disable the "Suspicious document" flag:


- the respective icon will not be displayed in the Workspace;
- the brief report will not display information about the cheating;
- in the downloaded forms of reports and in a printable versions the information will appear in the "Suspicious document" section that the flag was disabled, and comments will be displayed;
- in the full report, you will see that the "Suspicious document" flag has been removed – the

- corresponding icon will become gray;
- you still have access to the "Suspicious document" page.



Picture 81. Disabled "Suspicious document" flag in the full report


Potential cheating attempts view is different for documents that have been uploaded prior the availability of cheating detection function. For a brief report, the printable version and downloaded reports the text will be placed in "Suspicious document" blocks with a warning of the presence of suspicious fragments. For a full report, you will see the same text when you hover over the "Suspicious document" icon. The "Suspicious document" page is not available in this case.



Picture 82. Potential cheating attempts view for old versions - full report

7.6. Downloading the report

Downloading the report will allow you to save the report as a PDF file. To download the report to your computer, click on the "Export" button on the report viewing page.



Picture 83. Report downloading status window


Page will appear "Export report". To start the report generation, click on the "Export" button. After some time, the button will change to "Download". Click on the "Download" button to download the file. The download will start automatically, or the file download and save dialogue window will open, depending on your browser settings.

In the downloaded report you will see information about the report and the loaded document, a terminological block with the description of the terms "Similarity", "Quotes", "Originality", "Text recycling", a list of sources and text with markup of quotation blocks (if the user unloads the full report).

7.7. Direct link to report from "See results" page


A direct link to the report allows you to give access to the report to any user, including users unauthorized in the system. This link allows you to view the report, however you cannot make changes to the report.

To get a direct link to a report, select the document in the workspace and click the "See results" button. After this click on "Create link" button and select "To full report" or "To brief report" in the drop-down list. A link to the selected type of report will be copied in the clipboard.



Picture 84. Direct link to the report from "See results" page

Also you may get a direct link to a report from "Full report" or "Brief report" pages. For example, to get a direct link to a full report, open the "Full report" page and click "More" in the top menu, then click the "Direct link to the report" button. A link to the full report will be copied in the clipboard.



Picture 85. Direct link to the report from "Full report" page

The mechanism for obtaining a direct link to a short report is the same as to a full report.

An external user who has followed a direct link will be able to view the report and text metrics (if this function is enabled), print the report to a page, and export the report (if this function is enabled). You cannot edit a report using a direct link.

The user can also share a link to a recheck report or a report with corrections. To do this, in the report history, open the version of the report or adjustment you are interested in. After that, perform the steps described above.

8. Contact information

For technical support, please contact: support@advacheck.com

If you have questions about purchasing the service for organizations, please contact our Sales department: sales@advacheck.com